



OFFICIAL LISTING

NSF certifies that the products appearing on this Listing conform to the requirements of
NSF/ANSI 14 - Plastics Piping System Components and Related Materials

This is the Official Listing recorded on February 4, 2025.

PPI PIPE Co., Ltd.
1085-11, Beodeul-ro, Jangan-myeon
Hwaseong-si, Gyeonggi-do 445-941
Korea, Republic of
82 31 359 0082

Facility: # 1 Gyeonggi-do, Republic of Korea

Drain, Waste, and Vent - Pipe and Fittings

Product Type	Material Type	Trade Name	Product Standard
Pipe [§] 1 1/4" - 4"	PVC	DH2040 Pipe	ASTM D2665
Pipe 35 mm - 300 mm	PVC	DH2040 Pipe	SE 12787
Fittings ^[1] 35 mm - 250 mm	PVC	ONE-STEP COMMERCIAL DWV COMPRESSION FITTINGS	SE 12787

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

[1] Product is Certified for the following configurations:

Coupling
50mm (2")
75mm (3")
100mm (4")
125mm (5")
150mm (6")
200mm (8")
250mm (10")

Increaser - Reducer
50mm x 35mm (2" x 1 1/4")
75mm x 50mm (3" x 2")
100mm x 50mm (4" x 2")
100mm x 75mm (4" x 3")
125mm x 100mm (5" x 4")
150mm x 100mm (6" x 4")
150mm x 125mm (6" x 5")
200mm x 150mm (8" x 6")
250mm x 200mm (10" x 8")

90° Elbow
35mm (1 1/4")
50mm (2")
75mm (3")
100mm (4")
125mm (5")
150mm (6")
200mm (8")
250mm (10")

45° Elbow
35mm (1 1/4")

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



50mm (2")
75mm (3")
100mm (4")
125mm (5")
150mm (6")
200mm (8")
250mm (10")

22.5° Elbow
100mm (4")
125mm (5")
150mm (6")
200mm (8")

11.25° Elbow
100mm (4")
125mm (5")

Sanitary Tee

50mm (2")
75mm (3")
100mm (4")
125mm (5")
150mm (6")
200mm (8")
250mm (10")
50mm x 35mm (2" x 1¼")
50mm x 40mm (2" x 1½")
75mm x 35mm (3" x 1¼")
75mm x 50mm (3" x 2")
100mm x 50mm (4" x 2")
100mm x 75mm (4" x 3")
125mm x 50mm (5" x 2")
125mm x 75mm (5" x 3")
125mm x 100mm (5" x 4")
150mm x 50mm (6" x 2")
150mm x 75mm (6" x 3")
150mm x 100mm (6" x 4")
150mm x 125mm (6" x 5")
200mm x 100mm (8" x 4")
200mm x 125mm (8" x 5")
200mm x 150mm (8" x 6")
250mm x 100mm (10" x 4")
250mm x 125mm (10" x 5")
250mm x 150mm (10" x 6")
250mm x 200mm (10" x 8")

Sanitary Tee/Closed Cap

50mm (2")
75mm (3")
100mm (4")
125mm (5")
150mm (6")
200mm (8")
250mm (10")
50mm x 35mm (2" x 1¼")
50mm x 40mm (2" x 1½")
75mm x 35mm (3" x 1¼")
75mm x 50mm (3" x 2")
100mm x 50mm (4" x 2")
100mm x 75mm (4" x 3")
125mm x 50mm (5" x 2")
125mm x 75mm (5" x 3")
125mm x 100mm (5" x 4")
150mm x 50mm (6" x 2")
150mm x 75mm (6" x 3")
150mm x 100mm (6" x 4")
150mm x 125mm (6" x 5")
200mm x 100mm (8" x 4")
200mm x 125mm (8" x 5")
200mm x 150mm (8" x 6")
250mm x 100mm (10" x 4")
250mm x 125mm (10" x 5")
250mm x 150mm (10" x 6")
250mm x 200mm (10" x 8")

Wye

50mm (2")
75mm (3")

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



100mm (4")
125mm (5")
150mm (6")
200mm (8")
250mm (10")
50mm x 35mm (2" x 1½")
50mm x 40mm (2" x 1½")
75mm x 35mm (3" x 1½")
75mm x 50mm (3" x 2")
100mm x 50mm (4" x 2")
100mm x 75mm (4" x 3")
125mm x 50mm (5" x 2")
125mm x 75mm (5" x 3")
125mm x 100mm (5" x 4")
150mm x 50mm (6" x 2")
150mm x 75mm (6" x 3")
150mm x 100mm (6" x 4")
150mm x 125mm (6" x 5")
200mm x 100mm (8" x 4")
200mm x 125mm (8" x 5")
200mm x 150mm (8" x 6")
250mm x 100mm (10" x 4")
250mm x 125mm (10" x 5")
250mm x 150mm (10" x 6")
250mm x 200mm (10" x 8")

Wye/Closed Cap

50mm (2")
75mm (3")
100mm (4")
125mm (5")
150mm (6")
200mm (8")
250mm (10")
50mm x 35mm (2" x 1½")
50mm x 40mm (2" x 1½")
75mm x 35mm (3" x 1½")
75mm x 50mm (3" x 2")
100mm x 50mm (4" x 2")
100mm x 75mm (4" x 3")
125mm x 50mm (5" x 2")
125mm x 75mm (5" x 3")
125mm x 100mm (5" x 4")
150mm x 50mm (6" x 2")
150mm x 75mm (6" x 3")
150mm x 100mm (6" x 4")
150mm x 125mm (6" x 5")
200mm x 100mm (8" x 4")
200mm x 125mm (8" x 5")
200mm x 150mm (8" x 6")
250mm x 100mm (10" x 4")
250mm x 125mm (10" x 5")
250mm x 150mm (10" x 6")
250mm x 200mm (10" x 8")

Long Sweep 90° Elbow

50mm (2")
75mm (3")
100mm (4")
125mm (5")
150mm (6")
200mm (8")

Long 90° Elbow with Cleanout

75mm (3")
100mm (4")
100mm x 75mm (4" x 3")
125mm x 100mm (5" x 4")
150mm x 100mm (6" x 4")

90° Elbow with Cleanout

100mm (4")
100mm x 75mm (4" x 3")
125mm x 100mm (5" x 4")

U-Trap

75mm (3")
100mm (4")
125mm (5")

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



150mm (6")

P-Trap

40mm (1½")

50mm (2")

Tee with Cleanout

100mm (4")

125mm (5")

45L-S

100mm (4")

125mm (5")

150mm (6")

Clamp

100mm (4")

125mm (5")

150mm (6") 200mm (8")

250mm (10")

Fire Main - Pipe and Fittings

Product Type	Material Type	Trade Name	Product Standard
<i>Fittings</i> [#]	MLTPL	iPVC fitting	UL 1285
PC 235: 4", 6", 8"			
PC 305: 4", 6", 8"			
<i>Fittings</i> [#]	MLTPL	iPVC fitting-a	UL 1285
<i>Pipe</i>	PVC	iPVC Water Pipe	UL 1285
PC 235: 4" - 18"			
PC 305: 4" - 16"			
<i>Pipe</i> ⁺	PVC	iPVC Water Pipe	FM 1612
14" - 16" DR 14 PC 305 and DR 18 PC 235			
4" - 12" DR 14 PC 250 and DR 18 PC 185			
<i>Pipe</i>	PVC	Pyungwha PVC Pipe	UL 1285
PC 235: 4" - 16"			
PC 305: 4" - 16"			
<i>Pipe</i> ⁺	PVC	Pyungwha PVC Pipe	FM 1612
14" - 16" DR 14 PC 305 and DR 18 PC 235			
4" - 12" DR 14 PC 250 and DR 18 PC 185			
<i>Pipe</i>	PVC	PVC Water Pipe	UL 1285
PC 235: 4" - 16"			
PC 305: 4" - 16"			
<i>Pipe</i> ⁺	PVC	PVC Water Pipe	FM 1612
14" - 16" DR 14 PC 305 and DR 18 PC 235			
4" - 12" DR 14 PC 250 and DR 18 PC 185			

Certified for PC 235 & PC 305 for the following configurations:

- iPVC Fitting-a
- Coupling (Socket) - 4", 6", & 8"
- 11.25° Elbow - 4", 6", & 8"
- 22.5° Elbow - 4", 6", & 8"
- 45° Elbow - 4", 6", & 8"
- 90° Elbow - 4", 6", & 8"
- Reducer Socket - 6" x 4", 8" x 4", & 8" x 6"
- Tee - 4", 6", 8", 6" x 4", 8" x 4", & 8" x 6"
- Flange socket - 6" & 8"

iPVC Fitting

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Coupling(Socket) - 6", & 8"
 Repair Coupling(Socket) - 6", & 8"
 11.25 Elbow - 6", & 8"
 22.5 Elbow - 6", & 8"
 45 Elbow - 6", & 8"
 90 Elbow - 6", & 8"
 Reducer Socket - 8" x 6"
 Tee - 6", 8", & 8" x 6"
 Flange Tee - 6", 8", 6" x 4", 8" x 6", & 8" x 4"
 Flange socket - 6", & 8"

+ Material complies with NSF/ANSI/CAN 61 health effects requirements when tested at 73° F.

Potable Water - Pipe and Fittings

Product Type	Material Type	Trade Name	Product Standard
Pipe ⁺ §	PVC	iPVC Water Pipe	ASTM D1785
1/8" - 16" Sch 40			
1/8" - 16" Sch 80			
1/8" - 16" Sch 120			
Pipe [#] + §	PVC	iPVC Water Pipe	AWWA C900
4" - 16" DR 14			
4" - 18" DR 18			
4" - 16" DR 25			
Pipe [*] +	PVC	iPVC Water Pipe	SE 9167
50 mm - 630 mm			
Pipe ⁺	PVC	iPVC Water Pipe	SE 9167
16 mm - 400 mm			
Pipe ⁺ §	PVC	PVC Water Pipe	ASTM D1785
1/8" - 16" Sch 40			
1/8" - 16" Sch 80			
1/8" - 16" Sch 120			
Pipe [#] + §	PVC	PVC Water Pipe	AWWA C900
4" - 16" DR 14			
4" - 16" DR 18			
4" - 16" DR 25			
Pipe ⁺	PVC	PVC Water Pipe	SE 9167
16 mm - 400 mm			
Pipe [*] +	PVC	PVC Water Pipe	SE 9167
50 mm - 630 mm			
Pipe ⁺ §	PVC	Pyungwha PVC Pipe	ASTM D1785
1/8" - 16" Sch 40			
1/8" - 16" Sch 80			
1/8" - 16" Sch 120			
Pipe [#] + §	PVC	Pyungwha PVC Pipe	AWWA C900
4" - 16" DR 14			
4" - 16" DR 18			
4" - 16" DR 25			
Pipe [*]	PVC	Pyungwha PVC Pipe	SE 9167
16 mm - 400 mm			
Pipe [*] +	PVC	Pyungwha PVC pipe	SE 9167
50 mm - 630 mm			

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



- # Complies with US EPA Maximum Contaminant Levels (MCLs) for PFAS according to NSF/ANSI/CAN 61.
- * SE 9167: Special Engineered document for Metric-Sized PVC Water Pipe. This document includes testing to ASTM D1785 and AWWA C900.
- + Material complies with NSF/ANSI/CAN 61 health effects requirements when tested at 73° F.
- § Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.

6 of 6