



OFFICIAL LISTING

NSF certifies that the products appearing on this Listing conform to the requirements of NSF/ANSI/CAN 61 - Drinking Water System Components - Health Effects

This is the Official Listing recorded on February 4, 2025.

PPI PIPE Co., Ltd.
1085-11, Beodeul-ro, Jangan-myeon
Hwaseong-si, Gyeonggi-do 445-941
Korea, Republic of
82 31 359 0082

Facility: # 1 Gyeonggi-do, Republic of Korea

Pipes and Related Products

Trade Name	Size	Water Contact Temp	Water Contact Material
Fittings # [G]			
iPVC Fitting - Coupling (Socket)	4" - 8"	CLD 23	MLTPL
iPVC Fitting - 11.25° Elbow	4" - 8"	CLD 23	MLTPL
iPVC Fitting - 22.5° Elbow	4" - 8"	CLD 23	MLTPL
iPVC Fitting - 45° Elbow	4" - 8"	CLD 23	MLTPL
iPVC Fitting - 90° Elbow	4" - 8"	CLD 23	MLTPL
iPVC Fitting - Reducer Socket	6" x 4" - 8" x 6"	CLD 23	MLTPL
iPVC Fitting - Tee	4" - 8"	CLD 23	MLTPL
iPVC Fitting - Flange socket	6" - 8"	CLD 23	MLTPL
iPVC Fitting - Single-tapped coupling	6" x 3/4" - 8" x 2"	CLD 23	MLTPL
Pipe [G]			
iPVC Water Pipe	[1] [2]	CLD 23	PVC
PVC Water Pipe	[1] [2]	CLD 23	PVC
Pyungwha PVC Pipe	[1] [2]	CLD 23	PVC
iPVC Water Pipe [#]	4" - 18"	CLD 23	MLTPL
PVC Water Pipe [#]	4" - 16"	CLD 23	MLTPL
Pyungwha PVC Pipe [#]	4" - 16"	CLD 23	MLTPL

Complies with US EPA Maximum Contaminant Levels (MCLs) for PFAS according to NSF/ANSI/CAN 61.

[1] Straight pipe is available in sizes 16 mm - 400 mm or 1/8" - 16".

[2] Bell end pipe is available in sizes 50 mm - 630 mm.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.